

# MC156 - First Atlanta - Sandy Springs - Printer Installation (Mac)

KWFA - MC156 - Printers Quick Guide		
Device	IP Address	Driver
Savin 01	172.16.16.159	SAVIN MP <a href="#">C4503</a>
Savin 02	172.16.16.77	SAVIN MP <a href="#">C4503</a>
Savin 03	172.16.16.30	SAVIN MP <a href="#">C2504</a>
Savin 04	172.16.19.245	SAVIN MP <a href="#">C3502</a>
Driver Bundle <a href="#">156_Savin1-2.pkg</a>		
Driver <a href="#">156_Savin3.pkg</a>		
Driver <a href="#">156_Savin4.pkg</a>		

1. Please download the files at the bottom or top of this article. These are the drivers for Savin 1, 2, 3 and 4.
2. Once downloaded, find each in your Downloads folder on your Mac (Click on Finder, then Downloads).
3. Double click on the **156\_Savin1-2.pkg** file and follow the prompts to install the printer driver. Repeat for **156\_Savin3.pkg** and **156\_Savin4.pkg**.
4. Once installed click on **System Preferences**. Click on **Printers & Scanners**.
5. Click on the + sign in the bottom left corner of that window and then click on IP (3rd tab up top).
6. In the **Address** field type in 172.16.16.159, change/leave **Protocol** to **Line Printer Daemon - LPD** and leave **Queue** blank.

Address:   
Enter host name or IP address.

Protocol:

Queue:   
Leave blank for default queue.

---

Name:

Location:


Use:

7. Once the printer is found change the **Name** field to **Savin 1** (or **KW\_Savin 1**, up to you), **Location** field is optional (could be something like **KW office**). Make sure under **Use** field the driver ends in **PS**, eg. **Savin MP C4503 PS**. This is crucial, if it says **AirPrint**, change it to the **PS** driver. Click on **Add**. On the next page click on **Next** and it should be installed.

8. Repeat steps 6 and 7 changing the **Address** field each time to 172.16.16.77, then to 172.16.16.30 and finally to 172.16.19.245. These are the addresses for Savin 2, Savin 3 and Savin 4 respectively (Savin 4 is on the other side of the street). Make sure and change the **Name** accordingly with each iteration.

9. Once installed launch any program (TextEdit would do but do **NOT** use **Chrome** or **Adobe Reader**) and select **File, Print**. This will invoke the print dialog.

10. See attached photo and make the following changes following the instructions **BELOW** the picture.



10.1. Click on **Printer** and select **Savin 1**, remove the checkmark for **Two-sided** printing. (well, if you prefer two-sided, by all means keep it).

10.2. Click on the "**TextEdit**" menu (in this example TextEdit, could be Firefox, Safari, Word, etc) below **Orientation** and select **Job Log**, put a checkmark next to **Enable User Code** and then enter your office **Print code**. Ask your Agent Services Log Coordinator what your code is if you do not know it.

10.3. Click on **Job Log** below **Orientation** and select **Printer Features**. Now click on **Presets** at the top and choose **Save Current Settings as a Preset**. Name the **Preset - Color**. Now change the **Color Mode** at the bottom (2nd from bottom) to **Black and White**. Click on **Presets** again and select the same **Save Current Settings as a Preset**. This time name the **Preset - BW**.

10.4. Now choose the **Printer** at the top of the Print Dialog and select Savin 2, repeat 10.1, 10.2 and 10.3 for it. Repeat this step for Savin 3 and Savin 4.

Going forward make sure to **Always** select **BW** or **Color** preset to print, otherwise it will not print. The presets have the color selection and, most importantly, your print code.

---

Article ID: 4

Last updated: 19 Sep, 2016

Revision: 18

Rawls Group Market Centers -> MC156 - KWFA - First Atlanta - Sandy Springs -> Printer Setup Guides -> MC156 - First Atlanta - Sandy Springs - Printer Installation (Mac)

